Adresse:
Feurenmoos 15
78739 Hardt

Kontakt:
Telefon: +49 (0) 7422 / 940010
Fax:+49 (0) 7422 / 9400125
Mail: kontakt@flaig-te.de

## Overview

# FXE-T7200/80

### electro-permanent lifting magnet trusses

**Product number** 1068 7212



## Description

The FXE-T7200/80 electro-permanent lifting magnet truss is a fully equipped standard unit with all options. The truss with 7200 kg max. lifting capacity is equipped with sliding magnetic modules and can thus safely move sheet metal formats from min. 1200mm length to max. 6000mm length.

Included in delivery are

- Radio remote control with pick-up function for lifting individual sheets from 6mm
- weld-on hooks on the head sides for max. 4t each
- 2 strand chain hanger
- Lifting eye sensor, demagnetization only possible without load
- 360° LED signal tower
- Stainless steel guide handles
- Connection cable ready for mains 400V/25A pre-fuse/CEE 32 A plug

Adresse:
Feurenmoos 15
78739 Hardt

Kontakt:
Telefon: +49 (0) 7422 / 940010
Fax:+49 (0) 7422 / 9400125
Mail: kontakt@flaig-te.de

Erstellt am 20.11.2026.

Adresse:
Feurenmoos 15
78739 Hardt

Kontakt:
Telefon: +49 (0) 7422 / 940010
Fax:+49 (0) 7422 / 9400125
Mail: kontakt@flaig-te.de

# Product information

Erstellt am 20.11.2026.

FLAIG
Magnetsysteme

Adresse:
Feurenmoos 15
78739 Hardt

Kontakt:
Telefon: +49 (0) 7422 / 940010
Fax:+49 (0) 7422 / 9400125
Mail: kontakt@flaig-te.de

| | |
|---|---|
| **Dimension height (mm):** | 1900 |
| **Dimension length (mm):** | 3150 |
| **Dimension width (mm):** | 780 |
| **Load capacity 4mm sheet (kg):** | 500 |
| **Load capacity 6mm sheet (kg):** | 1000 |
| **Load capacity 8mm sheet (kg):** | 1400 |
| **Load capacity 10mm sheet (kg):** | 2000 |
| **Load capacity 15mm sheet (kg):** | 4000 |
| **Load capacity 25mm sheet (kg):** | 7200 |
| **Max. dimension 4mm sheet (mm, length x width):** | 4000 x 2000 |
| **Max. dimension 6mm sheet (mm, length x width):** | 6000 x 2500 |
| **Max. dimension 8mm sheet (mm, length x width):** | 6000 x 2500 |
| **Max. dimension 10mm sheet (mm, length x width):** | 6000 x 3000 |
| **Max. dimension 15mm sheet (mm, length x width):** | 6000 x 3000 |
| **Max. dimension 25mm sheet (mm, length x width):** | 6000 x 3000 |
| **Max. load capacity (kg):** | 7200 |
| **Number of poles:** | 2x10 |
| **Pole type:** | 80 |
| **Tear-off force (kN):** | 272 |
| **Weight (kg):** | 520 |